


DA 180
DA 120



Justor

DA 180



Bisagra doble acción

- Para puertas de vaivén.
- De acero inox AISI 304-DIN 1.4301.
- Resistencia del muelle 500.000 ciclos.

Frontissa doble acció

- Per a portes de vaivé.
- Fet d'acer inox AISI 304-DIN 1.4301.
- Resistència de la molla 500.000 cicles.

Spring hinge double action

- For swing doors.
- Stainless steel AISI 304-DIN 1.4301.
- Spring resistance 500.000 cycles.

Charnière va-et-vient


- Pour des portes va-et-vient.
- En acier inoxydable AISI 304-DIN 1.4301.
- Résistance du ressort 500.000 cycles.

Cerniera doppia azione


- Per porta a vento.
- Acciaio inox AISI 304-DIN 1.4301.
- Resistenza della molla 500.000 cicli.

Pendeltürband

- Für Pendeltüren.
- Edelstahl AISI 304-DIN 1.4301.
- Feder Lebensdauer 500.000 Zyclen.






- Tubo interior inox AISI 304.
- Potencia de cierre graduable.
- Tub interior inox AISI 304.
- Potència de tancament regulable.
- Stainless interior tube AISI 304.
- Adjustable strength.
- Tube interne inox AISI 304.
- Réglable en puissance.
- Tubo interno in acciaio inox AISI 304.
- Regolabile in potenza.
- Inneres Rohr von Edelstahl AISI 304.
- Einstellbare Schließkraft.







DA 120






x 2



x 1



- De fácil graduación.
- De fácil graduació.
- Easy graduation.
- Réglage facile.
- Regolazione facile.
- Einfache Gradierung.

Justor



Justor

Talleres Trepats SA, Zona industrial "Els Garrofers" Avda. del Progrés, 40
08340 Vilassar de Mar (Barcelona) SPAIN Tel. (34) 93 754 06 00 Fax (34) 93 754 06 01
E-mail: ttrepat@justor.com www.justor.com

